


# Freedom Equipment

*Freedom Equipment*

## Processing Machinery

Subscribe to the feed of the latest products in this category! 

 type=image,ypos=5,width=4.93888888889,height=4.93888888889 14.00 0 0 14.00 28.35 545.60 cm /12 Do Q

Click images to enlarge, click "Full Description" link for product details.

[Blenders / Mixers \(6\)](#)

[Dryers - Belt \(1\)](#)

[Dryers - Rotary Drum \(5\)](#)

[Dryers - Spray \(1\)](#)

[Extruders \(1\)](#)

[Positive Displacement](#)

[Pumps \(3\)](#)

[Pumps \(1\)](#)

You can enter a description for this category here

**P10297 - Stainless Steel Robinson 150**

**Blender Mixer**

Used Robinson 150 Stainless Steel Ribbon

Double Blender Mixer [Full Description...](#)

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=  
Model: 150

**N10160 - Used Belt-O-Matic 320B Belt  
Dryer**

Used Belt-O-Matic 320B horizontal belt  
dryer with burner [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

Model: 320B

Size: 1200 lbs/hr

**1856A - Used Bowen / Niro Laboratory**

**Spray Dryer**

Used Bowen / Niro Laboratory model spray  
dryer [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=  
HP: 5

**2069B - Used Heil 105-32 Rotary Dryer**

Used Heil 105-32 rotary single-pass hot air  
drum dryer [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=

Model: 105-32

Size: 10.5 x 32

**[P10312 - Used MEC 1242 Rotary Dryer](#)**

Used MEC 1242 triple pass rotary hot air  
dryer [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=SUBMIT,width=  
Add to Quote

type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

Model: 1242

Size: 12 x 42

**[A10413 - Used Waukesha Model 60  
Positive Displacement Pump](#)**

Used Waukesha Model 60 Positive  
Displacement Stainless Steel Pump [Full  
Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=SUBMIT,width=  
Add to Quote

type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

**[A10597 - Pureflo Positive Displacement Pump Stainless Steel](#)**

Used Pureflo Positive Displacement Sanitary Rotary Pump 2 hp dual voltage motor [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,width=  
Add to Quote

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

Model: 25700-0340



[A10600 - Used 200HP Komar Hydraulic Power Pack](#)

Used 200HP Komar Hydraulic Power Pack  
[Full Description...](#)

type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

**2051-B - Stainless Steel 240-cuft 15'  
Long Ribbon Blender**  
Used Stainless Steel 240-cuft 15' Long  
Couple Ribbon Blender with legs [Full  
Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=  
HP: 200

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=SUBMIT,wi  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

**N-10652 - Used 5' x 24' Rotary Dryer  
with 2HP Chain Drive and Trunions**

Insulated 5'x24' rotary drum dryer with 2HP  
chain drive, trunions, and insulation: used  
to dry fractured sand, feed,  
woodchip/sawdust, or other aggregates

[Full Description...](#)

type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

**[A10661 - Vermeer HBP520 Brick Press](#)**  
Vermeer Model HBP520 Brick Press for  
Compressed Earth Building Blocks [Full  
Description...](#)

type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=

Model: HBP520

HP: 20

**N-10681 - Roast-A-Matic 400 drum dryer  
with burner and trailer**

Roast-A-Matic complete drying system  
mounted on a trailer. Approx. 4' x 12 drum  
and 4-5mil BTU burner [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=

**[N-L9001 - Double Pass 8' x 35' Rotary Drum Dryer](#)**

Roatry drum dryer with trunions and drive, double pass design, and 8' x 35' shell dimensions [Full Description...](#)

type=input,subtype=TEXT,width=

Model: 400

ï¿½ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

Quantity:

**[2312G - Jacobson Vertical Mixer/Blender Model 150](#)**

Jacobson Vertical Mixer Model 150 [Full Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=BUTTON,wid

type=input,subtype=BUTTON,wid

type=input,subtype=SUBMIT,wid  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=



ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

type=input,subtype=TEXT,width=

Manufacturer: Jacobson

Model: 150

Size: 60"x60"x146"

HP: N/A

Pounds: 2500

Quantity:

[2362B - Instapro Model 2000 Extruder](#)  
75HP Model 8100 Extruder Instapro [Full](#)  
[Description...](#)

ï¿½ï¿½ï¿½type=input,subtype=BUTTON,wid

ï¿½ï¿½ï¿½type=input,subtype=BUTTON,wid



type=input,subtype=SUBMIT,wi  
Add to Quote

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

ï¿½ï¿½ï¿½type=input,subtype=TEXT,width=

- 
- 
- 
- 
- 

« « Start  
« Prev  
1  
Next »  
End » »

Results 1 - 15 of 15

Model: 8100

Size: 96"x70"x60"

HP: 75

Pounds: 2000